



034L0099

Regulating range 5 - 17.5 bar, factory setting 10 bar, max. working pressure 28 bar. Access port: 1/4 in. Schrader valve for pressure testing. Max. test pressure 31 bar. Rated capacities: see technical...

[> Product specifications](#)

[> Photos \(1\)](#)

[> Approvals & certificates \(1\)](#)

[> Code number selector](#)

[> Product labels \(3\)](#)

[> Contact](#)



8+1 0

Characteristic	Value
Type	KVR 28
Weight	0.921 Kg
Access port	Yes
Approval	C UL US LISTED, EAC
Approval file name	REFRIGERANT VALVE 53R0
EAN number	5702428411578
Factory setting [bar]	10,00 bar
Factory setting [psig]	145,0 psig
Inlet connection type	SOLDER, ODF
Inlet size [mm]	28,00 mm
Max. test pressure [bar]	31,0 bar
Max. test pressure [psig]	450 Psig
Max. Working Pressure [bar]	28,0 bar
Max. Working Pressure [psig]	406 psig
Medium temperature range [°C]	-45 - 130 °C
Medium temperature range [°F]	-50 - 265 °F
Outlet connection type	SOLDER, ODF
Outlet size [mm]	28,00 mm
P band max. [bar]	5,0 bar
P band max. [psi]	72,5 psi
Pack format	Multi pack
Product description	Condensing Pres. Reg.
Product Group	Press. and temp. regul. valves
Product name	Condensing pressure regulator
Quantity per pack format	7 pc
Refrigerant(s)	HCFC/Non flam HFC
Regulation range [bar]	5,0 - 17,5 bar
Regulation range [psig] Pe	73,00 - 254,00 psig